

A Mixed Fidelity Conceptual Design Process for Boundary Layer Ingestion Concepts

First O. Atinault^{1*}, Second M. Meheut² and Third S. Defoort³

¹ ONERA - The French Aerospace Lab, Meudon, F-92190, France,
olivier.atinault@onera.fr www.onera.fr

² ONERA - The French Aerospace Lab, Meudon, F-92190, France,
michael.meheut@onera.fr www.onera.fr


³ ONERA - The French Aerospace Lab, Meudon, F-92190, France,
sebastien.defoort@onera.fr www.onera.fr

Key Words: *Aerodynamics, Propulsion, Computing Methods, Boundary Layer Ingestion*

Boundary Layer Ingestion is one amongst promising concepts that would help improving aircraft aeropropulsive performance. Several studies ([1] to [12]) have already highlighted the benefit of that technology, either at OAD (Overall Aircraft Design) level with low fidelity models ([1], [5], [9], [10]) or in CFD (Computational Fluid Dynamics) studies with high-fidelity tools on particular cases ([2], [3], [7], [8], [11], [12]). However, it remains difficult to bring together OAD and high-fidelity tools due to the time of response of complex disciplinary tools. Within the European Clean Sky 2 AIRFRAME ITD platform ONERA has thus developed and coded a mixed fidelity approach inside its in-house OAD platform. The purpose is to mix various levels of fidelity from disciplinary tools (CFD, FEM, CAA), with the conventional and robust OAD methods. This paper focuses on the integration of rapid CFD tools inside the OAD process, in order to assess BLI benefits.

The purpose ONERA's OAD platform, named MYSTIC [16], is to provide a software environment in which main aircraft disciplines can contribute, and able to capture the interaction effects between them and the corresponding snowball effects in the aircraft figures of merit such as fuel burn. Each major discipline can be integrated through a dedicated expert tool, to improve the accuracy of the aircraft performance prediction at OAD level. Depending on their level of fidelity to the physics, tools are classified as Level 0 (values from charts, abacus, semi-empirical formulae), Level 1 (basic physical equations are solved), and Level 2 (advanced physical equations are solved, using expert software such as CFD tools or FEM for example). The time of response must remain acceptable with respect to the OAD process.

As far as BLI is concerned, its integration within MYSTIC relies on those three fidelity levels. Level 0 is modelled by using a BLI effect proportional to the quantity of ingested drag, and is based on [13]. Level 1 is using a model of boundary layer growth using a simple integral method. A power law provides then the boundary layer profiles, which are finally sent to a Power Balance method [14]. Level 2 is of much higher fidelity: the geometry of the aircraft shape is generated by MYSTIC, then meshed and computed using a CFD Euler code. The pressure field on the fuselage is then recovered, and a boundary layer code, accounting for adverse pressure gradients, provides a boundary layer shape. That result is then used to assess the BLI performance more accurately with the Power Balance method [14]. It is also used to estimate the flow field in the fan plane, which is sent to a Parallel Compressor Method ([15]) in order to estimate the fan efficiency losses.



Those various tools have been validated against reference and experimental cases when available, or high-fidelity RANS data else. The paper intends to present the tools, their validation process, and the overall results at OAD level for different families of aircraft (such as medium range or business jet) when using the different levels of fidelity that are available.

REFERENCES

- [1] Smith L. H. Jr., “Wake Ingestion Propulsion Benefit”, *Journal of Propulsion and Power*, Vol. 9, No. 1, 1993, pp. 74–82.
- [2] J. I. Hileman, Z. S. Spakovszky, M. Drela, “Airframe Design for “Silent Aircraft” ”, AIAA 2007-453, 2007
- [3] David J. Arend, Gregory Tillman, Walter F. O’Brien, “Generation After Next Propulsor Research: Robust Design for Embedded Engine Systems”, AIAA 2012-4041, 2012
- [4] Uranga A., et al. Preliminary Experimental Assessment of the Boundary Layer Ingestion Benefit for the D8 Aircraft, 52nd Aerospace Sciences Meeting, January 13-17, 2014, National Harbor, Maryland
- [5] Plas, A., Crichton, D., Sargeant, M., Hynes, T., Greitzer, E., Hall, C. and Madani, V. 2007. Performance of a Boundary Layer Ingesting (BLI) Propulsion System. 45th AIAA Aerospace Sciences Meeting and Exhibit (Reno, Nevada, Jan. 2007). ISBN 9781624100123. DOI 10.2514/6.2007-450.
- [6] Atinault O., Carrier G., Grenon R., Verbeke C. and Viscat P., “Numerical and Experimental Aerodynamic Investigations of Boundary Layer Ingestion for Improving Propulsion Efficiency of Future Air Transport”, 31st AIAA Applied Aerodynamics Conference, June 24-27, 2013, San Diego, CA.
- [7] Isikveren, A.T., Seitz, A., Bijewitz, J., Mirzoyan, A., Isyanov, A., Grenon, R., Atinault, O., Godard, J.-L. and Stückl, S. 2015. Distributed propulsion and ultra-high by-pass rotor study at aircraft level. *The Aeronautical Journal*. 119, 1221 (Nov. 2015), 1327–1376. ISSN 0001-9240, 2059-6464. DOI 10.1017/S0001924000011295.
- [8] Blumenthal, B., Elmiligui, A.A., Geiselhart, K., Campbell, R.L., Maughmer, M.D. and Schmitz, S. 2016. Computational Investigation of a Boundary Layer Ingestion Propulsion System for the Common Research Model. 46th AIAA Fluid Dynamics Conference (Washington, D.C., Jun. 2016). ISBN 9781624104367. DOI 10.2514/6.2016-3812.

- [9] Welstead, J. and Felder, J.L. 2016. Conceptual Design of a Single-Aisle Turboelectric Commercial Transport with Fuselage Boundary Layer Ingestion. 54th AIAA Aerospace Sciences Meeting (San Diego, California, Jan. 2016). ISBN 9781624103933. DOI 10.2514/6.2016-1027
- [10] M. Méheut and al. "Conceptual Design Studies of Boundary Layer Engine Integration Concepts", Aerospace Europe Conference 2020, 25-28 February 2020, Bordeaux, France.
- [11] Wiart, L., Atinault, O., Boniface, J.-C. and Barrier, R. 2016. Aeropropulsive performance analysis of the NOVA configurations. 30th Congress of the International Council of the Aeronautical Sciences (Daejeon, South Korea, Sep. 2016).
- [12] Wiart, L. and Negulescu, C. 2018. Exploration of the Airbus "NAUTILIUS" Engine Integration Concept. 31st Congress of the International Council for Aeronautical Sciences (Belo Horizonte, Brazil, Sep. 2018).
- [13] Plas A., Performance of Boundary Layer Ingesting Propulsion System, MSc Thesis, Massachusetts Institute of Technology, 2006
- [14] Drela, M., "Power Balance in Aerodynamic Flows", AIAA Journal, Vol. 47, No. 7 (2009), pp. 1761-1771.
- [15] Liu, Chengyuan, Daniel Ihiabe, Panagiotis Laskaridis, Riti Singh, "A Preliminary Method to Estimate Impacts of Inlet Flow Distortion on Boundary Layer Ingesting Propulsion System Design Point Performance", JAERO1774R1, 2014
- [16] S. Defoort, M. Méheut , B. Paluch , R. Liaboef , R. Murray , D.-C. Mincu , J.M. David, Conceptual design of disruptive aircraft configurations based on High-Fidelity OAD process", AIAA Aviation Forum, Atlanta, 2018.